



**AMAZONLVT®**  
luxury vinyl tiles

VOLUME 3



2301 ashen frost

## DISTINCT WOOD

<b>Dimensions</b>	184mm x 950mm
<b>Overall Gauge</b>	3mm (thicker gauge available)
<b>Wear Layer</b>	0.3mm (thicker wear layer available)
<b>Packaging</b>	19pcs / 35.50sf





**AMAZONLVT®**  
luxury vinyl tiles

**VOLUME 3**



**LVT WIDE V3 ▶ 2301 ashen frost**

---

**DISTINCT WOOD**

---

- Dimensions** 184mm x 950mm
- Overall Gauge** 3mm (thicker gauge available)
- Wear Layer** 0.3mm (thicker wear layer available)
- Packaging** 19pcs / 35.50sf





**AMAZONLVT®**  
luxury vinyl tiles

**VOLUME 3**



**LVT WIDE V3 ▶ 2301 ashen frost**

---

**DISTINCT WOOD**

---

**Dimensions** 184mm x 950mm  
**Overall Gauge** 3mm (thicker gauge available)  
**Wear Layer** 0.3mm (thicker wear layer available)  
**Packaging** 19pcs / 35.50sf



## DISTINCT WOOD

### PRODUCT SPECIFICATION

#### Attributes

Dimensions	184mm x 950mm
Overall Gauge	3mm (thicker gauge available)
Wear layer	0.3mm (thicker wear layer available)
Packaging	19pcs / 35.50sf

### TECHNICAL SPECIFICATIONS

#### Fire

#### Smoke

#### Heat Stability

#### Abrasion Resistance

#### Flexibility

#### Perpendicularity

#### Slip Resistance

#### Static Load Limit

#### Radiant Heat Compatibility

#### Castor Chair Sustainability

ASTM E84, ASTM E648, Melk Burner  
ONORM B3800

KSM 3802

ASTM D3884

EN 345 Method A

KSF 3802

ASTM 1028

ASTM F970-93

Yes

Yes

≥75, Class 1, Passed

Q1

0.3mm

0.1% Loss

Pass 20mm Mandrel

+0.2mm

ADA Wet/Dry Requirements for  
Level Surfaces

1500 psi

Below 85°F/28°C

Excellent



**AMAZONLVT**<sup>®</sup>  
luxury vinyl tiles

**VOLUME 3**