



AMAZONLVT®
luxury vinyl tiles

VOLUME 3



2303 misty grove

DISTINCT WOOD

Dimensions	184mm x 950mm
Overall Gauge	3mm (thicker gauge available)
Wear Layer	0.3mm (thicker wear layer available)
Packaging	19pcs / 35.50sf





AMAZONLVT®
luxury vinyl tiles

VOLUME 3



DISTINCT WOOD

Dimensions	184mm x 950mm
Overall Gauge	3mm (thicker gauge available)
Wear Layer	0.3mm (thicker wear layer available)
Packaging	19pcs / 35.50sf





AMAZONLVT®
luxury vinyl tiles

VOLUME 3



LVT WIDE V3 ▶ 2303 misty grove

DISTINCT WOOD

Dimensions	184mm x 950mm
Overall Gauge	3mm (thicker gauge available)
Wear Layer	0.3mm (thicker wear layer available)
Packaging	19pcs / 35.50sf



DISTICNT WOOD

PRODUCT SPECIFICATION

Attributes

Dimensions	184mm x 950mm
Overall Gauge	3mm (thicker gauge available)
Wear layer	0.3mm (thicker wear layer available)
Packaging	19pcs / 35.50sf

TECHNICAL SPECIFICATIONS

Fire	ASTM E84, ASTM E648, Melk Burner	≥75, Class 1, Passed
Smoke	ONORM B3800	Q1
Heat Stability	KSM 3802	0.3mm
Abrasion Resistance	ASTM D3884	0.1% Loss
Flexibility	EN 345 Method A	Pass 20mm Mandrel
Perpendicularity	KSF 3802	+0.2mm
Slip Resistance	ASTM 1028	ADA Wet/Dry Requirements for Level Surfaces
Static Load Limit	ASTM F970-93	1500 psi
Radiant Heat Compatibility	Yes	Below 85°F/28°C
Castor Chair Sustainability	Yes	Excellent



AMAZONLVT®
luxury vinyl tiles

VOLUME 3