



AMAZONLVT®
luxury vinyl tiles

VOLUME 3



2604 hallow grey

SQUARES+


Dimensions 600mm x 600mm
Overall Gauge 3mm (thicker gauge available)
Wear Layer 0.3mm (thicker wear layer available)
Packaging 9pcs / 34.80sf





AMAZONLVT®
luxury vinyl tiles

VOLUME 3



SQUARES+

Dimensions	600mm x 600mm
Overall Gauge	3mm (thicker gauge available)
Wear Layer	0.3mm (thicker wear layer available)
Packaging	9pcs / 34.80sf






AMAZONLVT®
luxury vinyl tiles

VOLUME 3



AMAZONLVT®
luxury vinyl tiles



SQUARES+ V3 ▶ 2604 hallow grey

SQUARES+

Dimensions 600mm x 600mm
Overall Gauge 3mm (thicker gauge available)
Wear Layer 0.3mm (thicker wear layer available)
Packaging 9pcs / 34.80sf



SQUARE+

PRODUCT SPECIFICATION

Dimensions
Overall Gauge
Wear layer
Packaging

600mm x 600mm
3mm (thicker gauge available)
0.3mm (thicker wear layer available)
9pcs / 34.80sf

TECHNICAL SPECIFICATIONS

Fire
Smoke
Heat Stability
Abrasion Resistance
Flexibility
Perpendicularity
Static Load Limit

ASTM E84, ASTM E648, Melk Burner
ONORM B3800
KSM 3802
ASTM D3884
EN 345 Method A
KSF 3802
ASTM F970-93

≥75, Class 1, Passed
Q1
0.3mm
0.1% Loss
Pass 20mm Mandrel
+0.2mm
1500 psi
ADA Wet/Dry Requirements for
Level Surfaces
Below 85°F/28°C
Excellent

Slip Resistance
Radiant Heat Compatibility
Castor Chair Sustainability

ASTM 1028
Yes
Yes



AMAZONLVT[®]
luxury vinyl tiles

VOLUME 3