



**AMAZONLAY-Z®**

luxury LVT click flooring


# LAY-Z

Overall Gauge 5mm | Wear Layer 0.3mm



LC6105 SAND GROOVE

### Recommended Laying Patterns



Ashlar



### Product Specification

<b>Dimensions</b>	230mm x 1220mm
<b>Overall Gauge</b>	5mm
<b>Wear Layer</b>	0.3mm
<b>Packaging</b>	6pcs / 18.10sqft (1.68m <sup>2</sup> )

### Standard Size




5mm | 0.3mm



## PRODUCT SPECIFICATION

<b>DIMENSIONS</b>	230mm x 1220mm
<b>OVERALL GAUGE</b>	5mm
<b>WEAR LAYER</b>	0.3mm
<b>PACKAGING</b>	6 pcs / 18.10sqft (1.68m <sup>2</sup> )


**5mm | 0.3mm**



## PRODUCT SPECIFICATION

<b>DIMENSIONS</b>	230mm x 1220mm
<b>OVERALL GAUGE</b>	5mm
<b>WEAR LAYER</b>	0.3mm
<b>PACKAGING</b>	6 pcs / 18.10sqft (1.68m <sup>2</sup> )

5mm | 0.3mm



## PRODUCT SPECIFICATION

<b>DIMENSIONS</b>	230mm x 1220mm
<b>OVERALL GAUGE</b>	5mm
<b>WEAR LAYER</b>	0.3mm
<b>PACKAGING</b>	6 pcs / 18.10sqft (1.68m <sup>2</sup> )



# AMAZONLAY-Z®

luxury LVT click flooring

# LAY-Z

Overall Gauge 5mm | Wear Layer 0.3mm

## PRODUCT SPECIFICATION

Dimensions	230 x 1220mm
Overall Gauge	5mm
Wear Layer	0.3mm
Packaging	6pcs / 18.10sqft (1.68m <sup>2</sup> )

## PERFORMANCE SPECIFICATION

European Standards	EN 14041:2004/AC:2006 -
Wear Resistance	<b>Verification of Conformity to CE Standards</b>
Peel Strength	EN660-2-1999 (R2018) & EN 649:2011 - <b>Commercial Class</b>
Residual Indentation	EN ISO 24345:2012 - <b>Pass on Z &amp; H Direction</b>
Flexibility	EN ISO 24343-1:2012 - <b>Minimal 0.04mm</b>
Anti Slip	EN ISO 24344-1:2012 Method B - <b>No Cracking</b>
Color Fastness	DIN 51130:2014-02 - <b>Pass @ Class R10</b>
Reaction to Fire	ISO 105-B02:2014 Cycle A1 & ISO 105
Dimensional Stability	-A02:1993/Cor 2:20005 - <b>Pass Greater than Level 6</b>
Curling On Heat	EN ISO 23999:2021 - <b>Pass @ X &amp; Y Directions</b>
Elemental Migration (Harmful Material)	EN ISO 23999:2021 - <b>No Curling</b>
	EN ISO 24343-1:2012 - <b>Pass - Not Detected</b>

## ENVIRONMENTAL CERTIFICATIONS



## PERFORMANCE & DURABILITY

