




MILLENNIAL

MaxLustre PP | BioFlex Bitumen Back™



M9006-3
MILLENNIAL RUBY

Recommended Laying Patterns




Quarter Turn

Product Specification

| | |
|------------------------|--|
| Fibre | MaxLustre PP |
| Construction | 1/10" Tufted Loop Pile |
| Pile Weight | 610gm/m ² or 18oz/yd ² |
| Pile Height | 3.2mm |
| Total Thickness | 5.0mm |
| Backing | BioFlex Bitumen Back™ |

Standard Size







AMAZONESSENTIALS®
carpet tiles

MILLENNIAL

MaxLustre PP | BioFlex Bitumen Back™

PP



M9006-3
MILLENNIAL RUBY

PRODUCT SPECIFICATION

| | |
|--------------------------|--|
| CONSTRUCTION | 1/10" Tufted Loop Pile |
| FIBRE | MaxLustre PP |
| PILE WEIGHT | 610gm/m ² or 18oz/yd ² |
| PILE HEIGHT | 3.2mm |
| TOTAL THICKNESS | 5.0mm |
| BACKING | BioFlex Bitumen Back™ |
| NO. OF TILES/ BOX | 20 pcs / 54sqft (5sqm) |



MILLENNIAL

MaxLustre PP | BioFlex Bitumen Back™

PRODUCT SPECIFICATION

| | |
|------------------------|--|
| Construction | Tufted Loop Pile |
| Fiber | MaxLustre PP |
| Gauge | 1/10" |
| Pile Weight | 610gm/m ² or 18oz/yd ² |
| Pile Height | 3.2mm |
| Total Thickness | 5.0mm |
| Backing | BioFlex Bitumen Back™ |
| Tile Size | 50cm x 50cm |
| Package | 20pcs / 54sqft (5m ²) |

PERFORMANCE SPECIFICATION

| | |
|----------------------------------|--|
| Flammability | ASTM E648-06 - ≥ 1.13 watts/cm ² |
| Radiant Panel | ASTM D2859-06 - 8 |
| Pile Test | ASTM E662-06 - Max. 450 |
| Smoke Density | |
| Color Fastness | |
| To Light | AATCC 16E - 5 |
| To Wet & Dry Crocking | AATCC 165 - 5 |
| To Ozone | AATCC 129 - 5 |
| Stain Resistance | AATCC 175-2003 - 10 |
| Static Propensity | AATCC 134-1996 - less than 4kV |
| Tuft Bind | ASTM D1335 - 8.6lbs |
| Dimensional Stability | AACHEN - <0.1% |



Certified to: QB/T 2735-2005
Certification No.: PK011916



Certified to: SIRIM ECO 035 : 2012
Certification No.: EL000212



PRODUCT CERTIFIED FOR
LOWER VOC EMISSIONS
(USGBC)



Indoor Air Quality
Assessment Institute Program
carpet-nub.org

