AMAZONESSENTIALS®
carpet tiles

SIRIM
Certified to : QB/T 2755 : 2005
Certification No. : PC011916

SIRIM
ECO-LABEL
Low VOC
Certified to : SIRIM ECO 035 : 2012
Certification No. : EL000212

GALACTIC

MaxLustre PP | Synth PVC Back™

M9019-4
GALACTIC BEIGE

Recommended Laying Patterns


Quarter Turn


Ashlar


Brick

Product Specification

Fibre	MaxLustre PP
Construction	1/12" Multi-Level Loop
Pile Weight	750gm/m² or 22oz/yd²
Pile Height	2.5 - 3.5mm
Total Thickness	5.0 - 6.0mm
Backing	Synth PVC Back™

Standard Size



AMAZONESSENTIALS®
carpet tiles

GALACTIC

MaxLustre PP | Synth PVC Back™

PP





M9019-4
GALACTIC BEIGE

PRODUCT SPECIFICATION

CONSTRUCTION	1/12" Multi-Level Loop
FIBRE	MaxLustre PP
PILE WEIGHT	750gm/m² or 22oz/yd²
PILE HEIGHT	2.5 - 3.5mm
TOTAL THICKNESS	5.0 - 6.0mm
BACKING	Synth PVC Back™
NO. OF TILES/ BOX	20 pcs / 54sqft (5sqm)

AMAZONESSENTIALS®
carpet tiles

GALACTIC

MaxLustre PP | Synth PVC Back™

PRODUCT SPECIFICATION

Construction	Multi-level Loop
Fiber	MaxLustre PP
Gauge	1/12"
Pile Weight	750gm/m² or 22oz/yd²
Pile Height	2.5 - 3.5mm
Total Thickness	5.0 - 6.0mm
Backing	Synth PVC Back™
Tile Size	50cm x 50cm
Package	20pcs / 54sqft (5m²)

ENVIRONMENTAL SPECIFICATION

Sustainability	Production that adheres to ISO14001 and ISO9001 with all yarns used are Solution dyed to minimize use of water and exclude any effluent.

PERFORMANCE SPECIFICATION

Static Electricity	Permanent lifetime protection - less than **3.5kV**
Lodging-Resistance	Superior fibre resistance
Wear Warranty	Warranted not to lose more than 15% pile fibre by weight under normal commercial use within 15 years
Dimensional Stability	Warranted not to change in size by more than 0.5mm, as well as resistant to doming and dishing under normal use.
Color Fastness to Rubbing	GB/T3920-2008 Standard: >Grade 4 for dry rubbing >Grade 3 for wet rubbing

MS SIRIM
Certified to : QB/T 2755 : 2005
Certification No. : PC011916

SIRIM ECO-LABEL
Low VOC
Certified to : SIRIM ECO 035 : 2012
Certification No. : EL000212

GREENGUARD
PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818

CRI GREEN LABEL +PLUS
Indoor Air Quality Adhesive Testing Program
carpet-rug.org

5 YEARS LIMITED WEAR WARRANTY

AMZ+ CERTIFICATION

AMAZON CARPET CRAFT

LIFETIME ANTISHOCK CARPET WARRANTY

CERTIFIED ENVIRONMENTAL MANAGEMENT SYSTEM ISO 14001:2004

MaxLustre PP